L Number	Hits	Search Text	DB	Time stamp
-	0	"strong cipher block"	USPAT;	2004/07/19 13:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	tiple near des	USPAT;	2004/07/19 13:16
		•	US-PGPUB;	
			EPO; JPO;	
1	'		DERWENT;	
			IBM_TDB	
-	233	(triple near des) and aes	USPAT;	2004/07/19 13:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	91	((triple near des) and aes) and ("back up" or backup or	USPAT;	2004/07/19 13:36
		back-up)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(((triple near des) and aes) and ("user name" or username))	USPAT;	2004/07/19 13:36
		and (compress\$3 near file)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	36	((triple near des) and aes) and ("user name" or username)	USPAT;	2004/07/19 13:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
-	12	((triple near des) and aes) and (compress\$2 near file)	USPAT;	2004/07/19 13:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	590	(des or aes) and ("user name" or username) and address and	USPAT;	2004/07/19 13:52
		time and date and (backup or "back up" or back-up)	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	229	((des or aes) and ("user name" or username) and address and	USPAT;	2004/07/19 13:53
		time and date and (backup or "back up" or back-up)) and	US-PGPUB;	
] ]		compression	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10	(((des or aes) and ("user name" or username) and address	USPAT;	2004/07/19 13:50
	:	and time and date and (backup or "back up" or back-up)) and	US-PGPUB;	
		compression ) and hmac	EPO; JPO;	,
			DERWENT;	
			IBM_TDB	
-	590	(" des " or " aes ") and ("user name" or username) and	USPAT;	2004/07/19 13:52
		address and time and date and (backup or "back up" or	US-PGPUB;	
	!	back-up)	EPO; JPO;	
	!		DERWENT;	
}			IBM_TDB	
-	229	((" des " or " aes ") and ("user name" or username) and	USPAT;	2004/07/19 16:20
		address and time and date and (backup or "back up" or	US-PGPUB;	
		back-up)) and compression	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	((" des " or " aes ") and ("user name" or username) and	USPAT;	2004/07/19 16:23
	:	address and time and date and (backup or "back up" or	US-PGPUB;	
		back-up)) and compression and ("128 bits" near key)	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	

-	77	((" des " or " aes ") and (backup or "back up" or back-up)) and compression and ("128 bits" near key)	USPAT; US-PGPUB;	2004/07/19 16:33
			EPO; JPO; DERWENT;	
			IBM TDB	
_	122	AES AND ((TIPLE NEAR DES) OR TRIPLE-DES)	USPAT;	2004/07/19 16:34
-	'22	NEO NAD ((THEE NEAR DEO) OR TRIPEE DEO)	US-PGPUB;	200 1101110 10.04
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	86	(AES AND ((TIPLE NEAR DES) OR TRIPLE-DES)) AND	USPAT;	2004/07/20 14:39
		((128-BITS) OR "128 BITS")	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	6199162.pn.	USPAT;	2004/07/20 14:41
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1326	key same "128 bits"	IBM_TDB USPAT;	2004/07/20 14:42
-	1320	key same 120 bits	US-PGPUB;	2004/01/20 14.42
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(key same "128 bits") and (encrypt\$3 near (compressed near	USPAT;	2004/07/20 14:42
		file))	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
l <u>-</u>	1326	key same (128-bit or 128-bits or "128 bits")	USPAT;	2004/07/20 14:43
	.020	noy came (120 bit of 120 bits of 120 bits)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(4001); 4001; (4001); (11)	IBM_TDB	0004/07/00 40 00
-	3	(key same (128-bit or 128-bits or "128 bits")) and "strong block	USPAT;	2004/07/20 16:39
		cipher"	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	248	(add\$3 same (authentication near code))	USPAT;	2004/07/20 16:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	23	((add\$3 same (authentication near code))) and ((first and	USPAT;	2004/07/20 16:52
1		second) near key)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(//add62 a and /authorities a a a deliver deliver	IBM_TDB	0004/07/04 40:40
-	8	(((add\$3 same (authentication near code))) and ((first and second) near key)) and (passphrase or pin)	USPAT; US-PGPUB;	2004/07/21 10:13
		Second hear key)) and (passpillase or pill)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	(((add\$3 same (authentication near code))) and ((first and	USPAT;	2004/07/21 10:16
		second) near key)) and ("pass phrase" or passphrase or pin)	US-PGPUB;	
1			EPO; JPO;	
			DERWENT; IBM_TDB	
-	0	((((add\$3 same (authentication near code))) and ((first and	USPAT;	2004/07/21 10:15
		second) near key)) and ("pass phrase" or passphrase or pin))	US-PGPUB;	250 1.01.21 10.10
		and User-provided	EPO; JPO;	,
			DERWENT;	
L	L		IBM_TDB	<u> </u>

-	8	((first and second) near key) and ((user-provided or "user	USPAT;	2004/07/21 10:20
		provided" or user-defined or "user defined") same ("pass	US-PGPUB;	
		phrase" or passphrase or pin))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	ashe and pin and atm	USPAT;	2004/07/21 10:38
<u> </u>			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	ashe.in. and pin and atm	USPAT;	2004/07/21 10:39
		F	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	331	ashe.in.	USPAT;	2004/07/21 10:39
	331	asiro.iii.	US-PGPUB;	200 1/01/21 10:00
			EPO; JPO;	
			DERWENT;	
	96	acho in and nin	IBM_TDB USPAT;	2004/07/21 10:39
-	26	ashe.in. and pin	USPAT; US-PGPUB;	2004/07/21 10:39
	ļ		EPO; JPO;	
			DERWENT;	
		450 415 550	IBM_TDB	0004/07/04 40:50
-	335800	AES AND DES	USPAT;	2004/07/21 10:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(AES AND DES) and header and username and (compressed	USPAT;	2004/07/21 11:22
		near file)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	5659614.pn.	USPAT;	2004/07/21 11:47
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	222	(bundle or packet) same (compressed near10 files)	USPAT;	2004/07/21 13:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	:		IBM_TDB	
-	42		USPAT;	2004/07/21 11:49
		(password or passphrase or "pass phrase")	US-PGPUB;	
			EPO; JPO;	
	:		DERWENT;	
			IBM_TDB	
-	3	((bundle or packet) same (compressed near10 files)) and	USPAT;	2004/07/21 13:06
		(dynamic same key) and encryption	US-PGPUB;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((bundle or packet) same (compressed near10 files)) and	USPAT;	2004/07/21 13:08
		(user-defined same key) and encryption	US-PGPUB;	
		(	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	((bundle or packet) same (compressed near10 files)) and	USPAT;	2004/07/21 13:12
		((generat\$3 near10 key) same (password passcode	US-PGPUB;	= 33
	1	passphrase))	EPO; JPO;	
	1	F F	DERWENT;	
	[		IBM TDB	
L	1	<u> </u>		L

-	209	(back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase))	USPAT; US-PGPUB; EPO; JPO;	2004/07/21 13:13
			DERWENT; IBM_TDB	
-	165	((back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase)) ) and (encrypt\$3	USPAT; US-PGPUB;	2004/07/21 13:13
		near5 key)	EPO; JPO; DERWENT; IBM_TDB	
•	0	(((back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase)) ) and (encrypt\$3 near5 key)) and (transmit\$3 near10 "compressed files")	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/21 13:15
			IBM_TDB	
-	0	(((back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase)) ) and (encrypt\$3 near5 key)) and ((packag\$3 or pecketiz\$3) near10	USPAT; US-PGPUB; EPO; JPO;	2004/07/21 13:15
		"compressed files")	DERWENT; IBM_TDB	
-	23	(((back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase)) ) and (encrypt\$3	USPAT; US-PGPUB;	2004/07/21 14:06
		near5 key)) and ((first and second) near key)	EPO; JPO; DERWENT; IBM_TDB	
-	1		USPAT	2004/07/21 13:17
-	1		USPAT	2004/07/21 13:17
-	1		USPAT USPAT	2004/07/21 13:17 2004/07/21 13:18
1.			USPAT	2004/07/21 13:18
-	l i		USPAT	2004/07/21 13:19
_	1		USPAT	2004/07/21 13:19
-	1		USPAT	2004/07/21 13:19
-	1 1		USPAT	2004/07/21 13:21
-	1		USPAT USPAT	2004/07/21 13:22 2004/07/21 13:31
-			USPAT	2004/07/21 13:35
_	i		USPAT	2004/07/21 13:36
-	1		USPAT	2004/07/21 13:41
-	6262	(remote or network) near10 (backup or back-up or "back up")	USPAT; US-PGPUB;	2004/07/21 14:08
			EPO; JPO; DERWENT; IBM_TDB	
-	6	((remote or network) near10 (backup or back-up or "back up")) and ((bundle or packet) same (compressed near10 files))	USPAT; US-PGPUB;	2004/07/21 14:11
			EPO; JPO; DERWENT;	
-	390298	transmit\$3 near10 data	IBM_TDB USPAT; US-PGPUB;	2004/07/21 14:11
			EPO; JPO; DERWENT;	
•	914	(transmit\$3 near10 data) and (backup near5 server)	IBM_TDB USPAT; US-PGPUB;	2004/07/21 14:12
			EPO; JPO; DERWENT; IBM_TDB	
-	205	((transmit\$3 near10 data) and (backup near5 server)) and (encrypt\$3 and compres\$4)	USPAT; US-PGPUB; EPO; JPO;	2004/07/21 14:12
			DERWENT; IBM_TDB	

-	159	(((transmit\$3 near10 data ) and (backup near5 server)) and	USPAT;	2004/07/21 14:15
		(encrypt\$3 and compres\$4)) and (password or passphrase or	US-PGPUB:	
		pin)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	10	((((transmit\$3 near10 data) and (backup near5 server)) and	USPAT:	2004/07/21 15:05
		(encrypt\$3 and compres\$4)) and (password or passphrase or	US-PGPUB;	
		pin)) and (generat\$3 near key) and password	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1894	client and (backup near10 server)	USPAT;	2004/07/21 15:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(client and (backup near10 server)) and (authenticat\$3 near10	USPAT;	2004/07/21 16:40
		code) and ((password near generated) same (encryption near	US-PGPUB;	
		key))	EPO; JPO;	
			DERWENT;	
	ļ		IBM_TDB	
-	5	(backup near10 server) and ((password near generated) same	USPAT;	2004/07/21 16:40
		(encryption near key))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
I	1		IBM TDB	